

# K63 Tetra-Ubiquitin

Cat. No. SBB-UP0073  
Lot. No. 181940073




# South Bay Bio

## K63 Tetra-Ubiquitin

The array of cellular processes initiated and regulated by ubiquitin has been partially explained by the structural diversity of differently linked ubiquitin chains. In a ubiquitin chain, ubiquitin moieties can be conjugated through one of their lysine residues (K6, K11, K27, K29, K33, K48 and K63) or the N-terminal methionine residue (M1), offering countless possibilities to assemble a specific polymer. Ubiquitin molecules can also be modified by other post-translational modifications, including acetylation and phosphorylation, adding another layer of ubiquitin signal regulation and diversification.

K63-polyubiquitin are also highly abundant in cells compared to K48-linked ubiquitin, but serve alternative functions to proteasome-mediated degradation, and are involved in intracellular signaling DNA repair, and the targeting of proteins to the endosomal-lysosomal system. This K63 linked di-ubiquitin was enzymatically conjugated, and purified via liquid chromatography.



## References

- 1) Dikic, I., Wakatsuki, S., & Walters, K. J. (2009). Ubiquitin-binding domains – from structures to functions. *Nature Reviews Molecular Cell Biology*, 10(10), 659-671. <https://doi.org/10.1038/nrm2767>
- 2) Akutsu, M., Dikic, I., & Bremm, A. (2016). Ubiquitin chain diversity at a glance. *Journal of Cell Science*, 129(5), 875-880. <https://doi.org/10.1242/jcs.183954>

## Product Information

**Quantity:** 25 µg      **Molecular Weight:** 34 kDa

**Concentration:** 29 µM, 1 mg/mL

**Purity:** >95% by SDS-PAGE

**Storage Buffer:** 50 mM HEPES pH 7.5

**Storage:** -80C, Avoid multiple freeze / thaw

## Quality Control and Performance Data

98 kDa

62 kDa

49 kDa


38 kDa

28 kDa

14 kDa

6 kDa

3 kDa



**K63-Linked Tetra-Ubiquitin SDS-PAGE.** From left to right, increasing amounts of tetra-ubiquitin were loaded onto a 10-20% SDS-PAGE gel, stained with Coomassie brilliant blue. Purity is > 95%.

**For Research Use Only, Not For Use In Humans.**

[www.southbaybio.com](http://www.southbaybio.com)

Contact:  
[info@southbaybio.com](mailto:info@southbaybio.com)

5941 Optical Ct, Suite 229  
San Jose, CA 95138 USA